

Author Index

- Abel, T.W. and Rance, N.E.
Proopiomelanocortin gene expression is decreased in the infundibular nucleus of postmenopausal women (69) 202
- Akira, S., see Yukawa, K. (69) 124
- Alberch, J., see Canals, J.M. (69) 242
- Alvarez-Maya, I., see Martinez-Fong, D. (69) 249
- Arias-Montano, J.-A., see Martinez-Fong, D. (69) 249
- Arimatsu, Y., see Miyasaka, N. (69) 62
- Arvidsson, U., see Ko, J.L. (69) 171
- Baecker, P.A., Lee, W.H., Verity, A.N., Eglén, R.M. and Johnson, R.M.
Characterization of a promoter for the human glial cell line-derived neurotrophic factor gene (69) 209
- Bannai, S., see Nakaso, K. (69) 155
- Berezovska, O., Frosch, M., McLean, P., Knowles, R., Koo, E., Kang, D., Shen, J., Lu, F.M., Lux, S.E., Tonegawa, S. and Hyman, B.T.
The Alzheimer-related gene presenilin 1 facilitates notch 1 in primary mammalian neurons (69) 273
- Bien, A., see Kreutz, M.R. (69) 232
- Billings, L.M., see Schuller, J.J. (69) 149
- Bing, G., see Feng, Z. (69) 144
- Böckers, T.M., see Kreutz, M.R. (69) 232
- Brown, L.A., see Poulter, M.O. (69) 44
- Bustos, G., see Vecchiola, A. (69) 1
- Canals, J.M., Checa, N., Marco, S., Michels, A., Pérez-Navarro, E. and Alberch, J.
The neurotrophin receptors *trkA*, *trkB* and *trkC* are differentially regulated after excitotoxic lesion in rat striatum (69) 242
- Cao, S., see Hu, X. (69) 35
- Chang, R.C.C., see Feng, Z. (69) 144
- Checa, N., see Canals, J.M. (69) 242
- Ciani, E., Hoffmann, A., Schmidt, P., Journot, L. and Spengler, D.
Induction of the PAC1-R (PACAP-type I receptor) gene by p53 and Zac (69) 290
- Collyer, P., see Vecchiola, A. (69) 1
- Dragunow, M., see Woodgate, A. (69) 84
- D'Souza, U.M., see Lammers, C.-H. (69) 281
- Eglén, R.M., see Baecker, P.A. (69) 209
- Elde, R., see Ko, J.L. (69) 171
- Enikolopov, G., see Nishizaki, T. (69) 263
- Feng, Z., Chang, R.C.C., Bing, G., Hudson, P., Tiao, N., Jin, L. and Hong, J.-S.
Long-term increase of Sp-1 transcription factors in the hippocampus after kainic acid treatment (69) 144
- Figuerola, R., see Vecchiola, A. (69) 1
- Frosch, M., see Berezovska, O. (69) 273
- Goebel, D.J. and Poosch, M.S.
NMDA receptor subunit gene expression in the rat brain: a quantitative analysis of endogenous mRNA levels of NR1_{Com}, NR2A, NR2B, NR2C, NR2D and NR3A (69) 164
- Gong, C., see Yang, G.-Y. (69) 135
- Gu, G., see Leng, N. (69) 73
- Harper, P.S., see Wilkinson, F.L. (69) 10
- Hatanaka, Y., see Miyasaka, N. (69) 62
- Hoffmann, A., see Ciani, E. (69) 290
- Hökfelt, T., see Johnson, H. (69) 21
- Hong, J.-S., see Feng, Z. (69) 144
- Honma, Y., Kanazawa, K.-y., Mori, T., Tanno, Y., Tojo, M., Kiyosawa, H., Takeda, J., Nikaido, T., Tsukamoto, T., Yokoya, S. and Wanaka, A.
Identification of a novel gene, OASIS, which encodes for a putative CREB/ATF family transcription factor in the long-term cultured astrocytes and gliotic tissue (69) 93
- Hu, X., Cao, S., Loh, H.H. and Wei, L.-N.
Promoter activity of mouse κ opioid receptor gene in transgenic mouse (69) 35
- Hudson, P., see Feng, Z. (69) 144
- Hyman, B.T., see Berezovska, O. (69) 273
- Inoue, M., Yamada, T. and Ueda, H.
Low dose of kyotorphin (tyrosine-arginine) induces nociceptive responses through a substance P release from nociceptor endings (69) 302
- Ishii, T., see Nakaso, K. (69) 155
- Jarrott, B., see Sweerts, B.W. (69) 113
- Jin, L., see Feng, Z. (69) 144
- Jin, M.-h., see Miyasaka, N. (69) 62
- Johnson, H., Hökfelt, T. and Ulfhake, B.
Expression of p75^{NTR}, trkB and trkC in nonmanipulated and axotomized motoneurons of aged rats (69) 21
- Johnson, R.M., see Baecker, P.A. (69) 209
- Jones, A.L., see Wilkinson, F.L. (69) 10
- Journot, L., see Ciani, E. (69) 290
- Julien, J.-P., see Levavasseur, F. (69) 104
- Kanazawa, K.-y., see Honma, Y. (69) 93
- Kang, D., see Berezovska, O. (69) 273
- Kawakami, H., see Miyachi, T. (69) 223
- Kelley, M.R., see Zhou, F.C. (69) 186
- Kiessling, M., see Sommer, C. (69) 53
- Kimura, K., see Nakaso, K. (69) 155
- Kitamura, T., see Miyachi, T. (69) 223
- Kitayama, M., see Nakaso, K. (69) 155
- Kiyosawa, H., see Honma, Y. (69) 93
- Knowles, R., see Berezovska, O. (69) 273
- Ko, J.L., Arvidsson, U., Williams, F.G., Law, P.Y., Elde, R. and Loh, H.H.
Visualization of time-dependent redistribution of δ -opioid receptors in neuronal cells during prolonged agonist exposure (69) 171
- Koo, E., see Berezovska, O. (69) 273
- Kreutz, M.R., Bien, A., Vorwerk, C.K., Böckers, T.M., Seidenbecher, C.L., Tischmeyer, W. and Sabel, B.A.
Co-expression of c-Jun and ATF-2 characterizes the surviving retinal ganglion cells which maintain axonal connections after partial optic nerve injury (69) 232
- Labarca, R., see Vecchiola, A. (69) 1
- Lammers, C.-H., D'Souza, U.M., Qin, Z.-H., Lee, S.-H., Yajima, S. and Mouradian, M.M.
Regulation of striatal dopamine receptors by corticosterone: an in vivo and in vitro study (69) 281
- Law, P.Y., see Ko, J.L. (69) 171
- Lawrence, A.J., see Sweerts, B.W. (69) 113
- Lee, S.-H., see Lammers, C.-H. (69) 281
- Lee, W.H., see Baecker, P.A. (69) 209
- Leng, N., Gu, G., Simerly, R.B. and Spindel, E.R.
Molecular cloning and characterization of two putative G protein-coupled receptors which are highly expressed in the central nervous system (69) 73
- Levavasseur, F., Zhu, Q. and Julien, J.-P.
No requirement of α -internexin for nervous system development and for radial growth of axons (69) 104
- Liu, X.-H., see Yang, G.-Y. (69) 135
- Loh, H.H., see Hu, X. (69) 35
- Loh, H.H., see Ko, J.L. (69) 171
- Lorris Betz, A., see Yang, G.-Y. (69) 135
- Lu, F.M., see Berezovska, O. (69) 273
- Luna, J., see Martinez-Fong, D. (69) 249
- Lux, S.E., see Berezovska, O. (69) 273
- MacGibbon, G., see Woodgate, A. (69) 84
- Magendzo, K., see Vecchiola, A. (69) 1

Author Index

- Abel, T.W. and Rance, N.E.
Proopiomelanocortin gene expression is decreased in the infundibular nucleus of postmenopausal women (69) 202
- Akira, S., see Yukawa, K. (69) 124
- Alberch, J., see Canals, J.M. (69) 242
- Alvarez-Maya, I., see Martinez-Fong, D. (69) 249
- Arias-Montano, J.-A., see Martinez-Fong, D. (69) 249
- Arimatsu, Y., see Miyasaka, N. (69) 62
- Arvidsson, U., see Ko, J.L. (69) 171
- Baecker, P.A., Lee, W.H., Verity, A.N., Eglén, R.M. and Johnson, R.M.
Characterization of a promoter for the human glial cell line-derived neurotrophic factor gene (69) 209
- Bannai, S., see Nakaso, K. (69) 155
- Berezovska, O., Frosch, M., McLean, P., Knowles, R., Koo, E., Kang, D., Shen, J., Lu, F.M., Lux, S.E., Tonegawa, S. and Hyman, B.T.
The Alzheimer-related gene presenilin 1 facilitates notch 1 in primary mammalian neurons (69) 273
- Bien, A., see Kreutz, M.R. (69) 232
- Billings, L.M., see Schuller, J.J. (69) 149
- Bing, G., see Feng, Z. (69) 144
- Böckers, T.M., see Kreutz, M.R. (69) 232
- Brown, L.A., see Poulter, M.O. (69) 44
- Bustos, G., see Vecchiola, A. (69) 1
- Canals, J.M., Checa, N., Marco, S., Michels, A., Pérez-Navarro, E. and Alberch, J.
The neurotrophin receptors *trkA*, *trkB* and *trkC* are differentially regulated after excitotoxic lesion in rat striatum (69) 242
- Cao, S., see Hu, X. (69) 35
- Chang, R.C.C., see Feng, Z. (69) 144
- Checa, N., see Canals, J.M. (69) 242
- Ciani, E., Hoffmann, A., Schmidt, P., Journot, L. and Spengler, D.
Induction of the PAC1-R (PACAP-type I receptor) gene by p53 and Zac (69) 290
- Collyer, P., see Vecchiola, A. (69) 1
- Dragunow, M., see Woodgate, A. (69) 84
- D'Souza, U.M., see Lammers, C.-H. (69) 281
- Eglén, R.M., see Baecker, P.A. (69) 209
- Elde, R., see Ko, J.L. (69) 171
- Enikolopov, G., see Nishizaki, T. (69) 263
- Feng, Z., Chang, R.C.C., Bing, G., Hudson, P., Tiao, N., Jin, L. and Hong, J.-S.
Long-term increase of Sp-1 transcription factors in the hippocampus after kainic acid treatment (69) 144
- Figuerola, R., see Vecchiola, A. (69) 1
- Frosch, M., see Berezovska, O. (69) 273
- Goebel, D.J. and Poosch, M.S.
NMDA receptor subunit gene expression in the rat brain: a quantitative analysis of endogenous mRNA levels of NR1_{Com}, NR2A, NR2B, NR2C, NR2D and NR3A (69) 164
- Gong, C., see Yang, G.-Y. (69) 135
- Gu, G., see Leng, N. (69) 73
- Harper, P.S., see Wilkinson, F.L. (69) 10
- Hatanaka, Y., see Miyasaka, N. (69) 62
- Hoffmann, A., see Ciani, E. (69) 290
- Hökfelt, T., see Johnson, H. (69) 21
- Hong, J.-S., see Feng, Z. (69) 144
- Honma, Y., Kanazawa, K.-y., Mori, T., Tanno, Y., Tojo, M., Kiyosawa, H., Takeda, J., Nikaido, T., Tsukamoto, T., Yokoya, S. and Wanaka, A.
Identification of a novel gene, OASIS, which encodes for a putative CREB/ATF family transcription factor in the long-term cultured astrocytes and gliotic tissue (69) 93
- Hu, X., Cao, S., Loh, H.H. and Wei, L.-N.
Promoter activity of mouse κ opioid receptor gene in transgenic mouse (69) 35
- Hudson, P., see Feng, Z. (69) 144
- Hyman, B.T., see Berezovska, O. (69) 273
- Inoue, M., Yamada, T. and Ueda, H.
Low dose of kyotorphin (tyrosine-arginine) induces nociceptive responses through a substance P release from nociceptor endings (69) 302
- Ishii, T., see Nakaso, K. (69) 155
- Jarrott, B., see Sweerts, B.W. (69) 113
- Jin, L., see Feng, Z. (69) 144
- Jin, M.-h., see Miyasaka, N. (69) 62
- Johnson, H., Hökfelt, T. and Ulfhake, B.
Expression of p75^{NTR}, trkB and trkC in nonmanipulated and axotomized motoneurons of aged rats (69) 21
- Johnson, R.M., see Baecker, P.A. (69) 209
- Jones, A.L., see Wilkinson, F.L. (69) 10
- Journot, L., see Ciani, E. (69) 290
- Julien, J.-P., see Levavasseur, F. (69) 104
- Kanazawa, K.-y., see Honma, Y. (69) 93
- Kang, D., see Berezovska, O. (69) 273
- Kawakami, H., see Miyachi, T. (69) 223
- Kelley, M.R., see Zhou, F.C. (69) 186
- Kiessling, M., see Sommer, C. (69) 53
- Kimura, K., see Nakaso, K. (69) 155
- Kitamura, T., see Miyachi, T. (69) 223
- Kitayama, M., see Nakaso, K. (69) 155
- Kiyosawa, H., see Honma, Y. (69) 93
- Knowles, R., see Berezovska, O. (69) 273
- Ko, J.L., Arvidsson, U., Williams, F.G., Law, P.Y., Elde, R. and Loh, H.H.
Visualization of time-dependent redistribution of δ -opioid receptors in neuronal cells during prolonged agonist exposure (69) 171
- Koo, E., see Berezovska, O. (69) 273
- Kreutz, M.R., Bien, A., Vorwerk, C.K., Böckers, T.M., Seidenbecher, C.L., Tischmeyer, W. and Sabel, B.A.
Co-expression of c-Jun and ATF-2 characterizes the surviving retinal ganglion cells which maintain axonal connections after partial optic nerve injury (69) 232
- Labarca, R., see Vecchiola, A. (69) 1
- Lammers, C.-H., D'Souza, U.M., Qin, Z.-H., Lee, S.-H., Yajima, S. and Mouradian, M.M.
Regulation of striatal dopamine receptors by corticosterone: an in vivo and in vitro study (69) 281
- Law, P.Y., see Ko, J.L. (69) 171
- Lawrence, A.J., see Sweerts, B.W. (69) 113
- Lee, S.-H., see Lammers, C.-H. (69) 281
- Lee, W.H., see Baecker, P.A. (69) 209
- Leng, N., Gu, G., Simerly, R.B. and Spindel, E.R.
Molecular cloning and characterization of two putative G protein-coupled receptors which are highly expressed in the central nervous system (69) 73
- Levavasseur, F., Zhu, Q. and Julien, J.-P.
No requirement of α -internexin for nervous system development and for radial growth of axons (69) 104
- Liu, X.-H., see Yang, G.-Y. (69) 135
- Loh, H.H., see Hu, X. (69) 35
- Loh, H.H., see Ko, J.L. (69) 171
- Lorris Betz, A., see Yang, G.-Y. (69) 135
- Lu, F.M., see Berezovska, O. (69) 273
- Luna, J., see Martinez-Fong, D. (69) 249
- Lux, S.E., see Berezovska, O. (69) 273
- MacGibbon, G., see Woodgate, A. (69) 84
- Magendzo, K., see Vecchiola, A. (69) 1

- Manilal, S.B., see Wilkinson, F.L. (69) 10
- Marco, S., see Canals, J.M. (69) 242
- Marshall, J.F., see Schuller, J.J. (69) 149
- Martinez-Fong, D., Navarro-Quiroga, I., Ochoa, I., Alvarez-Maya, I., Meraz, M.A., Luna, J. and Arias-Montano, J.-A.
Neurotensin-SPDP-poly-L-lysine conjugate: a nonviral vector for targeted gene delivery to neural cells (69) 249
- Maruyama, H., see Miyachi, T. (69) 223
- Matsuoka, T., see Nishizaki, T. (69) 263
- Matsuoka, T., see Nishizaki, T. (69) 295
- McLean, P., see Berezovska, O. (69) 273
- Meraz, M.A., see Martinez-Fong, D. (69) 249
- Meuser, T., see Pietruck, C. (69) 286
- Michels, A., see Canals, J.M. (69) 242
- Miyachi, T., Maruyama, H., Kitamura, T., Nakamura, S. and Kawakami, H.
Structure and regulation of the human NeuroD (BETA2/HNF1) gene (69) 223
- Miyasaka, N., Hatanaka, Y., Jin, M.-h. and Arimatsu, Y.
Genomic organization and regulatory elements of the rat latexin gene, which is expressed in a cell type-specific manner in both central and peripheral nervous systems (69) 62
- Mori, T., see Honma, Y. (69) 93
- Morris, G.E., see Wilkinson, F.L. (69) 10
- Mouradian, M.M., see Lammers, C.-H. (69) 281
- Nakamura, S., see Miyachi, T. (69) 223
- Nakashima, K., see Nakaso, K. (69) 155
- Nakaso, K., Kitayama, M., Ishii, T., Bannai, S., Yanagawa, T., Kimura, K., Nakashima, K., Ohama, E. and Yamada, K.
Effects of kainate-mediated excitotoxicity on the expression of rat counterparts of A170 and MSP23 stress proteins in the brain (69) 155
- Navarro-Quiroga, I., see Martinez-Fong, D. (69) 249
- Neal, J.W., see Wilkinson, F.L. (69) 10
- Nikaido, T., see Honma, Y. (69) 93
- Nishizaki, T., Matsuoka, T. and Sumikawa, K.
Positive- and negative-regulation of Ca^{2+} entry through ACh receptor channels by phosphorylation (69) 295
- Nishizaki, T., Nomura, T., Matsuoka, T., Enikolopov, G. and Sumikawa, K.
Arachidonic acid induces a long-lasting facilitation of hippocampal synaptic transmission by modulating PKC activity and nicotinic ACh receptors (69) 263
- Nomura, T., see Nishizaki, T. (69) 263
- Ochoa, I., see Martinez-Fong, D. (69) 249
- Oertel, W.H., see Sommer, C. (69) 53
- Ohama, E., see Nakaso, K. (69) 155
- Patel, T.D., see Zhou, F.C. (69) 186
- Pérez-Navarro, E., see Canals, J.M. (69) 242
- Pierce Palmer, P., see Pietruck, C. (69) 286
- Pietruck, C., Xie, G.-X., Sharma, M., Meuser, T. and Pierce Palmer, P.
Multiple splice patterns of cyclic AMP response element-binding protein mRNA in the central nervous system of the rat (69) 286
- Poosch, M.S., see Goebel, D.J. (69) 164
- Poulter, M.O. and Brown, L.A.
Transient expression of GABA_A receptor subunit mRNAs in the cellular processes of cultured cortical neurons and glia (69) 44
- Qin, Z., see Yang, G.-Y. (69) 135
- Qin, Z.-H., see Lammers, C.-H. (69) 281
- Rance, N.E., see Abel, T.W. (69) 202
- Sabel, B.A., see Kreutz, M.R. (69) 232
- Sabel, M., see Sommer, C. (69) 53
- Sautter, J., see Sommer, C. (69) 53
- Schmidt, P., see Ciani, E. (69) 290
- Schuller, J.J., Billings, L.M. and Marshall, J.F.
Dopaminergic modulation of pallidal preproenkephalin mRNA (69) 149
- Seidenbecher, C.L., see Kreutz, M.R. (69) 232
- Sharma, M., see Pietruck, C. (69) 286
- Shen, J., see Berezovska, O. (69) 273
- Simerly, R.B., see Leng, N. (69) 73
- Sommer, C., Sabel, M., Oertel, W.H., Kiessling, M. and Sautter, J.
Temporo-spatial expression of bFGF and TGFβ2 in embryonic dopaminergic grafts in a rat model of Parkinson's disease (69) 53
- Spengler, D., see Ciani, E. (69) 290
- Spindel, E.R., see Leng, N. (69) 73
- Sumikawa, K., see Nishizaki, T. (69) 263
- Sumikawa, K., see Nishizaki, T. (69) 295
- Swartz, D., see Zhou, F.C. (69) 186
- Sweets, B.W., Jarrott, B. and Lawrence, A.J.
Expression of preprogalanin mRNA following acute and chronic restraint stress in brains of normotensive and hypertensive rats (69) 113
- Takeda, J., see Honma, Y. (69) 93
- Tanaka, T., see Yukawa, K. (69) 124
- Tanno, Y., see Honma, Y. (69) 93
- Thi Man, N., see Wilkinson, F.L. (69) 10
- Thomas, P., see Wilkinson, F.L. (69) 10
- Tiao, N., see Feng, Z. (69) 144
- Tischmeyer, W., see Kreutz, M.R. (69) 232
- Tojo, M., see Honma, Y. (69) 93
- Tonegawa, S., see Berezovska, O. (69) 273
- Tsuji, S., see Yukawa, K. (69) 124
- Tsukamoto, T., see Honma, Y. (69) 93
- Ueda, H., see Inoue, M. (69) 302
- Ulfhake, B., see Johnson, H. (69) 21
- Vecchiola, A., Collyer, P., Figueroa, R., Labarca, R., Bustos, G. and Magendzo, K.
Differential regulation of μ -opioid receptor mRNA in the nucleus accumbens shell and core accompanying amphetamine behavioral sensitization (69) 1
- Verity, A.N., see Baecker, P.A. (69) 209
- Vorwerk, C.K., see Kreutz, M.R. (69) 232
- Walton, M., see Woodgate, A. (69) 84
- Wanaka, A., see Honma, Y. (69) 93
- Wei, L.-N., see Hu, X. (69) 35
- Wilkinson, F.L., Thi Man, N., Manilal, S.B., Thomas, P., Neal, J.W., Harper, P.S., Jones, A.L. and Morris, G.E.
Localization of rabbit huntingtin using a new panel of monoclonal antibodies (69) 10
- Williams, F.G., see Ko, J.L. (69) 171
- Woodgate, A., MacGibbon, G., Walton, M. and Dragnow, M.
The toxicity of 6-hydroxydopamine on PC12 and P19 cells (69) 84
- Xie, G.-X., see Pietruck, C. (69) 286
- Xu, Y., see Zhou, F.C. (69) 186
- Yajima, S., see Lammers, C.-H. (69) 281
- Yamada, K., see Nakaso, K. (69) 155
- Yamada, T., see Inoue, M. (69) 302
- Yanagawa, T., see Nakaso, K. (69) 155
- Yang, G.-Y., Gong, C., Qin, Z., Liu, X.-H. and Lorris Betz, A.
Tumor necrosis factor alpha expression produces increased blood-brain barrier permeability following temporary focal cerebral ischemia in mice (69) 135
- Yokoya, S., see Honma, Y. (69) 93
- Yukawa, K., Tanaka, T., Tsuji, S. and Akira, S.
Regulation of transcription factor C/ATF by the cAMP signal activation in hippocampal neurons, and molecular interaction of C/ATF with signal integrator CBP/p300 (69) 124
- Zhou, F.C., Patel, T.D., Swartz, D., Xu, Y. and Kelley, M.R.
Production and characterization of an anti-serotonin 1A receptor antibody which detects functional 5-HT_{1A} binding sites (69) 186
- Zhu, Q., see Levavasseur, F. (69) 104